AUTHOR INDEX

Agee, R. D.
Response of Radial Passenger Tire Treadwear to Reinforcing Cord Modulus, p. 171

Ambelang, J. C.
Compositional Variables Affecting Dynamic Properties of Tire Compounds, p. 384

Avgeropoulos, G. N.
Heterogeneous Polymer Blends II. Physical Properties of Binary Elastomer Composites, p. 103

Beard, C. D.
D_2-meta-Carborane-Siloxanes. II. Factors Affecting High Performance Properties of Vulcanizates, p. 177

Bohan, J. J.
D_2-meta-Carborane-Siloxanes. II. Factors Affecting High Performance Properties of Vulcanizates, p. 177

Bohm, G. G. A.
Heterogeneous Polymer Blends II. Physical Properties of Binary Elastomer Composites, p. 103

Brownlee, J. L.
Response of Radial Passenger Tire Treadwear to Reinforcing Cord Modulus, p. 171

Bull, A. L.
The Use of Thermoplastic Rubbers in Blends with Other Plastics, p. 281

Burton, G. W.
Preparation of Artificial Latexes, p. 95

Cessac, G. L.
Removable Polyurethane Encapsulants, p. 299

Cornell, W. H.
Mixing of Thermoplastic Styrene-Butadiene Elastomers, p. 49.

Coulthard, D. C.
New Compounding Approaches to Heat Resistant NBR, p. 131

Crepeau, A. E.
Natural Rubber – Halobutyl – Ethylene Propylene Diene Compounds for Radial Tire Sidewall Service, p. 349

Curro, J. G.
Removable Polyurethane Encapsulants, p. 299

Dearmont, D. D.
Mixing of Thermoplastic Styrene-Butadiene Elastomers, p. 49

Dietrick, M. I.
Optimization of Wire Adhesion by Varying Concentration of Bonding Agents and Cure Rate, p. 78

Dunn, J. R.
Using Simulated End-Use Conditions in Assessing the High Temperature Performance of Oil Resistant Vulcanizates, p. 193

Emmert, D. E.
Optimization of Wire Adhesion by Varying Concentration of Bonding Agents and Cure Rate, p. 78

Fernandes, D. P.
New Sources of Carbon Black, p. 376

AUTHOR INDEX

Agee, R. D.
Response of Radial Passenger Tire Treadwear to Reinforcing Cord Modulus, p. 171

Ambelang, J. C.
Compositional Variables Affecting Dynamic Properties of Tire Compounds, p. 384

Avgeropoulos, G. N.
Heterogeneous Polymer Blends II. Physical Properties of Binary Elastomer Composites, p. 103

Beard, C. D.
D_2-meta-Carborane-Siloxanes. II. Factors Affecting High Performance Properties of Vulcanizates, p. 177

Bohan, J. J.
D_2-meta-Carborane-Siloxanes. II. Factors Affecting High Performance Properties of Vulcanizates, p. 177

Bohm, G. G. A.
Heterogeneous Polymer Blends II. Physical Properties of Binary Elastomer Composites, p. 103

Brownlee, J. L.
Response of Radial Passenger Tire Treadwear to Reinforcing Cord Modulus, p. 171

Bull, A. L.
The Use of Thermoplastic Rubbers in Blends with Other Plastics, p. 281

Burton, G. W.
Preparation of Artificial Latexes, p. 95

Cessac, G. L.
Removable Polyurethane Encapsulants, p. 299

Cornell, W. H.
Mixing of Thermoplastic Styrene-Butadiene Elastomers, p. 49.

Coulthard, D. C.
New Compounding Approaches to Heat Resistant NBR, p. 131

Crepeau, A. E.
Natural Rubber – Halobutyl – Ethylene Propylene Diene Compounds for Radial Tire Sidewall Service, p. 349

Curro, J. G.
Removable Polyurethane Encapsulants, p. 299

Dearmont, D. D.
Mixing of Thermoplastic Styrene-Butadiene Elastomers, p. 49

Dietrick, M. I.
Optimization of Wire Adhesion by Varying Concentration of Bonding Agents and Cure Rate, p. 78

Dunn, J. R.
Using Simulated End-Use Conditions in Assessing the High Temperature Performance of Oil Resistant Vulcanizates, p. 193

Emmert, D. E.
Optimization of Wire Adhesion by Varying Concentration of Bonding Agents and Cure Rate, p. 78

Fernandes, D. P.
New Sources of Carbon Black, p. 376

Fetterman, M. Q.
Application of Rubber Compounding Technology to Thermoelastic EVA, p. 226

Gatza, P. E.
Phosphazene Elastomers for Fuel Service Under Arctic Conditions, p. 5

Glymph, E. M.
Production and Properties of Low-Ammonia Centrifuged Natural Rubber Latices, p. 59

Goh, S. H.
Thermoanalytical Studies of Rubber Oxidation, p. 186

Gotshall, W. W.
New Sources of Carbon Black, p. 376

Gunter, W. D.
New Compounding Approaches to Heat Resistant NBR, p. 131

Gwin, L. E.
A New Dimension in Rubber Compound Tackifiers, p. 289

Hamed, P.
Reinforcement of EPDM Elastomers Through Discontinuous Unregenerated Wood Cellulose Fibers, p. 395

Hedaya, E.
D_2-meta-Carborane-Siloxanes. II. Factors Affecting High Performance Properties of Vulcanizates, p. 177

Holden, G.
The Use of Thermoplastic Rubbers in Blends with Other Plastics, p. 281

Kane, R. P.
New Developments in Copolyester Ether Elastomers, p. 416

Kliever, L. B.
Mixing of Thermoplastic Styrene-Butadiene Elastomers, p. 49

Kwiatkowski, G. T.
D_2-meta-Carborane-Siloxanes. II. Factors Affecting High Performance Properties of Vulcanizates, p. 177

Lederer, D. A.
Optimization of Wire Adhesion by Varying Concentration of Bonding Agents and Cure Rate, p. 78

Li, P. C.
Reinforcement of EPDM Elastomers Through Discontinuous Unregenerated Wood Cellulose Fibers, p. 395

Mausser, R. F.
Vulcanization Considerations, p. 26

Mitchell, Julian M.
Nitrile-EPDM Polymer Blends Fundamental Considerations for Development of Key Properties, p. 329

Moffitt, R.
D_2-meta-Carborane-Siloxanes. II. Factors Affecting High Performance Properties of Vulcanizates, p. 177

Monroe, C. M.
High-Green-Strength Silicone Rubber, p. 450

O'Farrell, C. P.
Preparation of Artificial Latexes, p. 95

Peters, E. N.
D_2-meta-Carborane Siloxanes. II. Factors Affecting High Performance Properties of Vulcanizates, p. 177

Pfisterer, H. A.
Using Simulated End-Use Conditions in Assessing the High Temperature Performance of Oil Resistant Vulcanizates, p. 193

Ritchie, K.
Heat Resistance and Dynamic Characteristics of Bromobutyl Modified Elastomer Blends, p. 156

Rowton, R. L.
Cyanoethylated Polyoxypropylenepolyamines: Polymer Formers of Unique Reactivity, p. 365

Stewart, D. D.
D_2-meta-Carborane-Siloxanes. II. Factors Affecting High Performance Properties of Vulcanizates, p. 177

Stewart, E. J.
The Reinforcement Effects on Treadwear of Silane Modified Silicas vs Carbon Black in Various Blends in SBR Passenger Tire Tread Compounds, p. 439

Tolbert, T. L.
Response of Radial Passenger Tire Treadwear to Reinforcing Cord Modulus, p. 171

Touchet, P.
Phosphazene Elastomers for Fuel Service Under Arctic Conditions, p. 5

Schary, E.
Response of Radial Passenger Tire Treadwear to Reinforcing Cord Modulus, p. 171

Sheeler, J. W.
Glass Fibers as a Reinforcement for Elastomeric Compounds, p. 267

Spoo, B. H.
Injection Molding of High Performance Fluoroelastomers, p. 312

Weaver, E. J.
A New Dimension in Rubber Compound Tackifiers, p. 289

Weir, R. J.
Heat Resistance and Dynamic Characteristics of Bromobutyl Modified Elastomer Blends, p. 156

Weissert, F. C.
Heterogeneous Polymer Blends II. Physical Properties of Binary Elastomer Composites, p. 103

Westley, S. A.
Recent Developments in Novel Crosslinking Systems for Natural Rubber, p. 247

Wischmann, K. B.
Removable Polyurethane Encapsulants, p. 299

SUBJECT INDEX

Acceleration
Vulcanization Considerations, p. 26

Activation Energy
Thermoanalytical Studies of Rubber Oxidation, p. 186

Additives
Application of Rubber Compounding Technology to Thermoelastic EVA, p. 226

Adhesion
Optimization of Wire Adhesion by Varying Concentration of Bonding Agents and Cure Rate, p. 78

A New Dimension in Rubber Compound Tackifiers, p. 289

Antioxidant
Thermoanalytical Studies of Rubber Oxidation, p. 186

Antioxidants, Curative Synergy
New Compounding Approaches to Heat Resistant NBR, p. 131

Antioxidants, Extraction Resistant
New Compounding Approaches to Heat Resistant NBR, p. 131

Aramid
A New Dimension in Rubber Compound Tackifiers, p. 289

Arctic Service
Phosphazene Elastomers for Fuel Service Under Arctic Conditions, p. 5

Arofene 8340
A New Dimension in Rubber Compound Tackifiers, p. 289

Artificial Latexes
Preparation of Artificial Latexes, p. 94

Automotive Fascia
Glass Fibers as a Reinforcement for Elastomeric Compounds, p. 267

Automotive Parts
Heat Resistance and Dynamic Characteristics of Bromobutyl Modified Elastomer Blends, p. 156

Blends
Heat Resistance and Dynamic Characteristics of Bromobutyl Modified Elastomer Blends, p. 156

The Use of Thermoplastic Rubbers in Blends with Other Plastics, p. 281

Block Copolymers
The Use of Thermoplastic Rubbers in Blends with Other Plastics, p. 281

Bonding
A New Dimension in Rubber Compound Tackifiers, p. 289

Bromobutyl
Heat Resistance and Dynamic Characteristics of Bromobutyl Modified Elastomer Blends, p. 156

Butyl Latex
Preparation of Artificial Latexes, p. 94

Carbon Black
New Sources of Carbon Black, p. 376

Carbon Black (cont.)
The Reinforcement Effects on Treadwear of Silane Modified Silicas vs Carbon Black in Various Blends in SBR Passenger Tire Tread Compounds, p. 439

Carborane-Siloxane
D_2-meta-Carborane-Siloxanes. II. Factors Affecting High Performance Properties of Vulcanizates, p. 177

Cellulose Fibers
Reinforcement of EPDM Elastomers Through Discontinuous Unregenerated Wood Cellulose Fibers, p. 395

Clay Reinforcement
The Reinforcement Effects on Treadwear of Silane Modified Silicas vs Carbon Black in Various Blends in SBR Passenger Tire Tread Compounds, p. 439

Coatings, Urethane
Cyanoethylated Polyoxypropylene-polyamines: Polymer Formers of Unique Reactivity, p. 365

Compounding
Vulcanization Considerations, p. 26

Optimization of Wire Adhesion by Varying Concentration of Bonding Agents and Cure Rate, p. 78

New Compounding Approaches to Heat Resistant NBR, p. 131

Application of Rubber Compounding Technology to Thermoelastic EVA, p. 226

Copolyester Ether Elastomers
New Developments in Copolyester Ether Elastomers, p. 416

Crosslinking Systems
Recent Developments in Novel Crosslinking Systems for Natural Rubber, p. 249

Curatives, Cadmium/Sulfur Donor
New Compounding Approaches to Heat Resistant NBR, p. 131

Curatives, Peroxide/Coagent
New Compounding Approaches to Heat Resistant NBR, p. 131

Cyanoethylated Polyoxypropylene-polyamines
Cyanoethylated Polyoxypropylene-polyamines: Polymer Formers of Unique Reactivity, p. 365

Dynamic Properties
Heat Resistance and Dynamic Characteristics of Bromobutyl Modified Elastomer Blends, p. 156

Elastomer Composites
Heterogeneous Polymer Blends II. Physical Properties of Binary Elastomer Composites, p. 102

Elastomers
Phosphazene Elastomers for Fuel Service Under Arctic Conditions, p. 5

Mixing of Thermoplastic Styrene-Butadiene Elastomers, p. 49

D_2-meta-Carborane-Siloxanes. II. Factors Affecting High Performance Properties of Vulcanizates, p. 177

Glass Fibers as a Reinforcement for Elastomeric Compounds, p. 267

Emulsifiers
Preparation of Artificial Latexes, p. 94

Encapsulant
Removable Polyurethane Encapsulants, p. 299

EPDM Elastomers
Reinforcement of EPDM Elastomers Through Discontinuous Unregenerated Wood Cellulose Fibers, p. 395

Ethylene Propylene Diene
Natural Rubber — Halobutyl — Ethylene Propylene Diene Compounds for Radial Tire Sidewall Service, p. 349

Ethylene Vinyl Acetate
Application of Rubber Compounding Technology to Thermoelastic EVA, p. 226

Fillers, Non-Black, Low Set
New Compounding Approaches to Heat Resistant NBR, p. 131

Filler-Resin Interaction
D_2-meta-Carborane-Siloxanes. II. Factors Affecting High Performance Properties of Vulcanizates, p. 177

Fluoroelastomers, Injection Molding
Injection Molding of High Performance Fluoroelastomers, p. 312

Fluorophosphazene
Phosphazene Elastomers for Fuel Service Under Arctic Conditions, p. 5

Formulations
Phosphazene Elastomers for Fuel Service Under Arctic Conditions, p. 5

Glass Fiber Reinforcements
Glass Fibers as a Reinforcement for Elastomeric Compounds, p. 267

Green Strength
Reinforcement of EPDM Elastomers Through Discontinuous Unregenerated Wood Cellulose Fibers, p. 395

Halobutyl
Heat Resistance and Dynamic Characteristics of Bromobutyl Modified Elastomer Blends, p. 156

Natural Rubber — Halobutyl — Ethylene Propylene Diene Compounds for Radial Tire Sidewall Service, p. 349

Heat Aging
New Compounding Approaches to Heat Resistant NBR, p. 131

Heat Resistance
Heat Resistance and Dynamic Characteristics of Bromobutyl Modified Elastomer Blends, p. 156

Heat/Oil Resistance
New Compounding Approaches to Heat Resistant NBR, p. 131

High Temperature Polymer
D_2-meta-Carborane-Siloxanes. II. Factors Affecting High Performance Properties of Vulcanizates, p. 177

Hydrocarbon Resistance
Phosphazene Elastomers for Fuel Service Under Arctic Conditions, p. 5

Impact
The Use of Thermoplastic Rubbers in Blends with Other Plastics, p. 281

Injection Molding
Glass Fibers as a Reinforcement for Elastomeric Compounds, p. 267

Latex
Vulcanization Considerations, p. 26

Mixing
Mixing of Thermoplastic Styrene-Butadiene Elastomers, p. 49

Mixing, High Intensity
Mixing of Thermoplastic Styrene Butadiene Elastomers, p. 49

Mixing, Internal
Mixing of Thermoplastic Styrene Butadiene Elastomers, p. 49

Mixing, Ribbon Blender
Mixing of Thermoplastic Styrene Butadiene Elastomers, p. 49

Molding
Application of Rubber Compounding Technology to Thermoelastic EVA, p. 226

Molecular Weight
D_2-meta-Carborane Siloxanes. II. Factors Affecting High Performance Properties of Vulcanizates, p. 177

Mounts
Heat Resistance and Dynamic Characteristics of Bromobutyl Modified Elastomer Blends, p. 156

NBR
New Compounding Approaches to Heat Resistant NBR, p. 131

Natural Rubber
Thermoanalytical Studies of Rubber Oxidation, p. 186

Natural Rubber – Halobutyl – Ethylene Propylene Diene Compounds for Radial Tire Sidewall Service, p. 349

Natural Rubber, Crosslinking Systems
Recent Developments in Novel Crosslinking Systems for Natural Rubber, p. 249

Natural Rubber, Latices
Production and Properties of Low-Ammonia Centrifuged Natural Rubber Latices, p. 58

Nitrile Rubber, Heat Resistant
New Compounding Approaches to Heat Resistant NBR, p. 131

Nitrile-EPDM Polymers
Nitrile-EPDM Polymer Blends Fundamental Considerations for Development of Key Properties, p. 329

Oxidation
Thermoanalytical Studies of Rubber Oxidation, p. 186

Phenolic Resin
A New Dimension in Rubber Compound Tackifiers, p. 289

Physical Properties
Phosphazene Elastomers for Fuel Service Under Arctic Conditions, p. 5

Polyester
A New Dimension in Rubber Compound Tackifiers, p. 289

Polyethylene
The Use of Thermoplastic Rubbers in Blends with Other Plastics, p. 281

Polypropylene
The Use of Thermoplastic Rubbers in Blends with Other Plastics, p. 281

Polystyrene
The Use of Thermoplastic Rubbers in Blends with Other Plastics, p. 281

Polyurethane
Removable Polyurethane Encapsulants, p. 299

Post Vulcanization
Vulcanization Considerations, p. 26

Pre-cure
Vulcanization Considerations, p. 26

Pre Vulcanization
Vulcanization Considerations, p. 26

Property Comparisons
Application of Rubber Compounding Technology to Thermoelastic EVA, p. 226

Radial Tires
Natural Rubber – Halobutyl – Ethylene Propylene Diene Compounds for Radial Tire Sidewall Service, p. 349

Reaction Injection Molding
Glass Fibers as a Reinforcement for Elastomeric Compounds, p. 267

Reinforcing Materials, Tires
Response of Radial Passenger Tire Treadwear to Reinforcing Cord Modulus, p. 171

Removable Casting Resin
Removable Polyurethane Encapsulants, p. 299

Resorcinol Resin
Optimization of Wire Adhesion by Varying Concentration of Bonding Agents and Cure Rate, p. 78

Rubber
Optimization of Wire Adhesion by Varying Concentration of Bonding Agents and Cure Rate, p. 78

Mixing of Thermoplastic Styrene-Butadiene Elastomers, p. 49

New Compounding Approaches to Heat Resistant NBR, p. 131

Rubber Adhesion
A New Dimension in Rubber Compound Tackifiers, p. 289

Rubber Reinforcement
New Sources of Carbon Black, p. 376

Rupture Energy, Elastomer Composites
Heterogeneous Polymer Blends II. Physical Properties of Binary Elastomer Composites, p. 102

SBR Tires
The Reinforcement Effects on Treadwear of Silane Modified Silicas vs Carbon Black in Various Blends in SBR Passenger Tire Tread Compounds, p. 439

Sequential
New Compounding Approaches to Heat Resistant NBR, p. 131

Silica Reinforcement
The Reinforcement Effects on Treadwear of Silane Modified Silicas vs Carbon Black in Various Blends in SBR Passenger Tire Tread Compounds, p. 439

Silicone Rubber
High-Green-Strength Silicone Rubber, p. 450

Statistical Analysis
Optimization of Wire Adhesion by Varying Concentration of Bonding Agents and Cure Rate, p. 78

Steel Cord
Optimization of Wire Adhesion by Varying Concentration of Bonding Agents and Cure Rate, p. 78

Stress Cracking
The Use of Thermoplastic Rubbers in Blends with Other Plastics, p. 281

Styrene-Butadiene
Mixing of Thermoplastic Styrene-Butadiene Elastomers, p. 49

Sulfurless Vulcanization
Vulcanization Considerations, p. 26

Swelling
Reinforcement of EPDM Elastomers Through Discontinuous Unregenerated Wood Cellulose Fibers, p. 395

Tack
A New Dimension in Rubber Compound Tackifiers, p. 289

Tackifier
A New Dimension in Rubber Compound Tackifiers, p. 289

Thermal Analysis
Thermoanalytical Studies of Rubber Oxidation, p. 186

Thermoplastic
Mixing of Thermoplastic Styrene-Butadiene Elastomers, p. 49

Application of Rubber Compounding Technology to Thermoelastic EVA, p. 226
The Use of Thermoplastic Rubbers in Blends with Other Plastics, p. 281

Thermoset EVA
Application of Rubber Compounding Technology to Thermoelastic EVA, p. 226

Tire Compounds
Compositional Variables Affecting Dynamic Properties of Tire Compounds, p. 384

Tire Reinforcements
The Reinforcement Effects on Treadwear of Silane Modified Silicas vs Carbon Black in Various Blends in SBR Passenger Tire Tread Compounds, p. 439

Tire Treadwear, Reinforcing Cord Modulus
Response of Radial Passenger Tire Treadwear to Reinforcing Cord Modulus, p. 171

Tires, Strained
Compositional Variables Affecting Dynamic Properties of Tire Compounds, p. 384

Urethane Coatings
Cyanoethylated Polyoxypropylene-polyamines: Polymer Formers of Unique Reactivity, p. 365

Vulcanization
D_2-meta-Carborane-Siloxanes. II. Factors Affecting High Performance Properties of Vulcanizates, p. 177

Wood Cellulose Fibers, Reinforcement
Reinforcement of EPDM Elastomers Through Discontinuous Unregenerated Wood Cellulose Fibers, p. 395